FOR OFFICIAL USE ONLY

DECK LOG—TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LT S J SOWINSKI, U. S. N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
COMMANDER SERVICE FORCE U.S. PACIFIC Fleet,
_____ Naval District,

Commencing 0001 W 1 FEBRUARY, 1961,
(zone time and date)
at PEARL HARBOR HAWAII,
(location)
and ending 2400 W 28 FEBRUARY, 1961,
(zone time and date)
at PEARL HARBOR HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____

_____ (Day) _____ (Date) _____ (Month), 19 ____

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 1 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO KAWAIHAE, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03	See Fleet Weather Central												
04													
05													
06	Pearl Harbor Hawaii												
07													
08	130	5	10	CLR	2959	71	70	-	-	-	80	080	1
09	280	5	10	CLR	2959	72	71	-	-	-	80	080	1
10													
11	325	7	10	SCT	2959	76	75	5	1320	CU/AC	80	090	1
12													
13													
14	325	14	10	SCT	2998	75	73	6	720	SC	75	080	1
15	340	12	10	SCT	2998	74	71	6	1100	SC	80	060	2
16	330	13	10	SCT	3000	75	74	8	1800	SC	80	060	2
17	325	11	10	SCT	3000	75	74	8	1800	SC	80	080	2
18	300	9	10	SCT	3000	74	73	8	1800	SC	80	090	3
19	300	10	10	SCT	3000	74	71	7	1450	SC	80	090	3
20	295	3	10	SCT	3004	75	71	7	1450	SC	80	090	2
21	295	7	10	SCT	3004	75	71	7	1450	SC	81	090	2
22	295	3	10	SCT	3004	76	72	7	1450	SC	81	090	1
23	295	3	10	SCT	3004	76	72	7	1450	SC	82	090	1
24	295	5	10	SCT	3004	76	72	7	1450	SC	80	090	2

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
90

FUEL CONSUMED 0000-2400
1590

REMARKS

00-04 Moored port side to berth Alfa Two (A-2) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines in use doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the US Pacific Fleet plus yard and district craft. SOPA is COMNAVSUBFORPAC.

D.M. Willis Jr LTJG USNR

04-08 Moored as before. 0700 commenced making preparations for getting underway set Yoke draft 13'10" fwd 16' aft. 0735 held quarters for 1 muster and inspection absentees none. 0745 set sprit sea and anchor detail. 0758 underway from berth in accordance with COMSERVPAC Operations schedule. Engineering Officer has the conn, Captain and navigator are on the bridge. Steering various courses and speeds to clear berth and conform to the Pearl Harbor Channel

D M Willis Jr LTJG USNR

APPROVED: LT, U. S. N. COMMANDING

EXAMINED: D M Willis Jr LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 1 (Date) FEBRUARY (Month) 1961

08-12. Underway as before. making various courses and speed changes to conform with safe navigation of Pearl Harbor Channel. 0823 Entered international waters. 0825 C/C 090. 0846 Entered ~~inland~~ waters. 0848 C/C 078. 0850 C/C 026°, 0852 C/C 079°, 0853 C/C 032° 7/7 60 RPM. 0856 C/C 030° 0857 Entered Channel to Honolulu Harbor. Captain has Conn Navigator is on the bridge Commenced steering various Courses at various speeds conforming to Honolulu Channel 0900 passed ~~Buoy~~ buoy 4 to starboard 75 yards 0902 passed buoy 6 to starboard 100 yards 0904 passed buoy 8 to starboard 100 yards. 0905 Maneuvering to go along sick pier Thirty nine (39) Honolulu Harbor Hawaii. 0932 Moored starboard side to. 0944 Secured special sea and anchor detail. 1005. Made daily inspection of magazine temperatures and smokeless power samples; Condition normal.

J. E. Hoffey Cwo U.S.N.

12-16. Moored as before. 1200 Commenced preparations for getting underway. 1216. Stationed the special sea detail. 1248 Underway from Honolulu, Hawaii to Kawaihae, Hawaii CAPTAIN HORTON 079332 U.S. ARMY came aboard for Transportation to Kawaihae, Hawaii, Captain has the Con. Navigator is on the bridge. 1246. Steering various Course at Various speeds standing out of Honolulu Harbor with YCV-17 in tow. 1337 Secured special sea detail, set the regular steaming watch and tow watch. 1343. Entered international waters. 1415 C/S to 90 RPM 11.3 Knots. 1447 C/C 174° 1507 Put the dog on the towing winch, with 1600 ft of 2" wire out. C/C 174° 1535 C/C 130° 1555 C/S 45 RPM.

J. E. Hoffey Cwo U.S.N.

16-20. Underway as before. 1605 Payed out tow wire to 1200' 1607 7/7 55 R.P.M. 1609 7/7 60 R.P.M. 1612 7/7 75 R.P.M. 1614 7/7 90 RPM 1739 C/C 113°. 1906 C/C 120° 1909 C/C 129°. 1923 C/C 125°. 1927 C/C 120° 1934 C/C 113°.

J. E. Hoffey Cwo U.S.N.

20-24 Underway as before. 2130 Sighted Cape Kava Light bearing 081 3/4, distance about 16½ miles 2145 Sighted Kaumalapua Light bearing 083 distance about 15 miles 2312 C/C 175°. 2345 Sighted Waikahalulu Light bearing 106½° distance about 18 miles.

J. E. Hoffey Cwo U.S.N.

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: J. M. Willis Jr LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 2 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM KAWAIHAE HAWAII TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

See Fleet Weather Central Pearl Harbor Hawaii

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 125

FUEL CONSUMED 0000-2400: 1200

REMARKS

00-04. Steaming independently towing YCV 17 with 1200 feet of main tow wire out enroute from Pearl Harbor, Hawaii to Kawaihae Hawaii in accordance with COMSERVPAC msg 010247Z on Course 125° speed 11.3 Knots (90 RPM) Number two and three main generators in the propulsion loop H1 S/S on ship power. Material Condition "Yoke" sit. 0208 C/C 120°, 0259 Sighted Molokini light bearing 018° distance about 18 miles

J. E. Hoffpy CWO U.S.N.

04-08. Underway as before. 0443 Sighted red light bearing 340° distance about 22 miles Puukea Pt. Loran Tower. 0612 C/C 115° 0618 C/C 100°. 0646 C/C 110°. 0704 Put H1 and H4 main generators in the propulsion loop. 0712 C/C 100°. 0732 C/C 120°. 0749 C/C 130°

J. E. Hoffpy CWO U.S.N.

APPROVED: [signature] LT U. S. N. COMMANDING

EXAMINED: D. M. Williams LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 2 (Date) FEBRUARY (Month), 19 61

08-12 Underway as before. 0802 C/C to 130°T. 0814 Set the special sea and anchor detail. 0821 Commenced heaving in on tow wire. 0830 C/C to 120°T. 0851 Tow is closed up to stern, ceased heaving in on tow wire. 1005 Making various course and speed changes to conform with safe navigation and to make berth. 1038 Moored port side to pier one(1) Kawaihae, Hawaii with four(4) standard mooring lines doubled up. 1111 Secured the special sea and anchor detail. 1120 Made daily inspection of magazine temperatures and smokeless powder samples, conditions normal.

E.B. Masch LTJG USNR

12-16 Moored as before. 1435 Set the special sea and anchor detail. 1445 Underway from pier one(1) Kawaihae, Hawaii for Pearl Harbor, Hawaii with YCV-17 in tow, making various course and speed changes to conform with safe navigation and to clear the channel. 1529 Commenced streaming the tow. 1553 Secured the special sea and anchor detail.

E.B. Masch LTJG USNR

16-20 Underway as before. 1607 Secured streaming tow wire, tow out to 1200 feet, on the dog. 1736 C/C to 295°T, C/S to all ahead standard, 80 RPMs 7.7 knots.

E.B. Masch LTJG USNR

20-24 Underway as before. 2020 Sighted Malakini Light, bearing 345°T, distance, 12 miles. 2030 Sighted Waiahalulu Light bearing 305°T, distance 12 miles.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: D.M. Wilkes Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION _____ DATE FRIDAY (Day) 3 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM KAWAIHAE HAWAII TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE FLEET WEATHER CENTRAL											
07													
08													
09													
10		PEARL HARBOR HAWAII											
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
82

FUEL CONSUMED 0000-2400
1210

REMARKS

00-04 Underway independently from Kawaihae, Hawaii to Pearl Harbor, Hawaii with YCV-17 in tow, 1200 feet of wire out, in accordance with COMSERVPAC msg 010247Z on course 295°T, speed 10.6 knots, (80 RPM) number two (2) and three (3) main generator in the loop. Material condition "Yoke" set. 0013 Sighted Cape Kaea Light bearing 337°T, approximately 16 miles. 0245 Sighted Aero Beacon on Molokai bearing 010°T approximately 30 miles.

E.B. Masch LTJG USNR

04-08 Underway as before. 0546 Sighted Makapuu Light, bearing 353°T at 28 miles. 0550 Sighted Koko Head Light, bearing 349°T at 27 miles. 0750 Mustered the crew on station, absentees none.

E.B. Masch LTJG USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr. LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY 3 FEBRUARY 1961
(Day) (Date) (Month)

08-12 Underway as before. 0810 c/s to 6.7 knots (50 RPM's) 0843 Made daily inspection of magazines and smokeless powder samples. Conditions normal. Made weekly test of magazine's sprinkling system. Test satisfactory. 0920 c/s to 7.7 knots (60 RPM) 0936 c/c to 000° to 350° PSTGC. 1018 c/s to 10.1 knots (80 RPM) 1028 c/c to 302° 296° PSTGC. 1046 c/s to 7.7 knots (60 RPM). 1118 c/s to 6.7 knots (50 RPM's). 1130 Stationed the special sea and anchor detail. Captain has the conn, navigator on the bridge. 1135 c/c to 333°. 1140 Entered Inland waters.

J. J. Stupp, CWO, USN

12-16 Underway as before. 12.01 c/c to 335°. Passed buoy #2 abeam to starboard, distance approximately 100 yards. Steering various courses and speeds to maneuver to Pearl Harbor Channel. 1214 Passed buoy #6 abeam to starboard distance approximately 100 yards. YTB 142 alongside YCV 17. Heaving in on tow. 1220 Commenced tow. Tow from YCV 17. 1221 YTB 142 took YCV 17 in tow. 1254 Moored starboard side to with Sierra eighteen (S-18) U.S. Naval Submarine Base Pearl Harbor, Hawaii with four (4) standard mooring lines. 1311 Secured the special sea and anchor detail. 1335 Commenced receiving miscellaneous stores from the pier. 1400 Commenced fueling from pier, U.S. Naval Submarine Base Pearl Harbor. Draught forward 12'11" aft 16'1". 1443 Fueling completed draft forward 13'11" aft 16'1". Received 7,654 gallons of fuel.

J. J. Stupp, CWO, USN

16-20 Moored as before. 1815 Mustered the duty fire party.

J. J. Stupp, CWO, USN

20-24 Moored as before.

J. J. Stupp, CWO, USN

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING J. M. Willis Jr LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SATURDAY 4 FEBRUARY, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE FLEET WEATHER CENTRAL												
06													
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 100

REMARKS

00-04 Moored starboard side to berth Sierra eighteen (S-18), U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with four (4) standard mooring lines doubled up. Receiving miscellaneous provisions from the pier. Ships patrol includes running ship and yard of the U.S. Pacific Fleet yard and district craft. COPA is Commander 3rd Class, U.S. Pacific Fleet.

J. J. Stupp, CWO, USN

04-08 Moored as before. 0750 Mustered the crew for status; absentees; none.

J. J. Stupp, CWO, USN.

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: P. M. Willis Jr. LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 5 (Date) FEBRUARY (Month), 19 61

08-12 Moored as before. 0918 made daily inspetion of magazine temperatures and smokeless powder samples, conditions normal.

T.M. Willis Jr LTJG USNR

12-16 Moored as before

T.M. Willis Jr LTJG USNR

16-20 Moored as before. 1815 held fire drill 1832 secured from fire drill.

T.M. Willis Jr LTJG USNR

20-24 Moored as before

T.M. Willis Jr LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: T.M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 5 FEBRUARY, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Fiera Eighteen (S-18) U.S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving all services from the pier. Ships present include various units of the US Pacific Fleet plus yard and district craft. SOPA is COMASDEFORPAC

D. M. Willis Jr LTJG USNR

04-08 Moored as before. 0750 mustered the duty section, absentees ~~none~~ DAVIS, HENRY (N) 483-57-38 SM3 USN.

D. M. Willis Jr LTJG USNR

APPROVED: LT U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 5 (Date) FEBRUARY (Month), 19 61

08-12. Moored as before. 0805 Mustered duty section on station absentee. DAVIS, HENRY (N), 483-57-38, SM3, USN, absent without authority from muster. 0858 Made daily inspection of magazine temperature and smokeless powder samples; Conditions normal. 1145 DAVIS, HENRY (N) 483-57-38 SM3, USN. returned on board as absence without liard.

J. E. Hoffey CWO USN.

12-16. Moored as before.

J. E. Hoffey CWO USN.

16-20. Moored as before. 1815 Called away the fire party for muster and provided. 1825 Secured from fire drill-muster.

J. E. Hoffey CWO USN.

20-24. Moored as before

J. E. Hoffey CWO USN.

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: T. M. Wilkes Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 6 FEBRUARY 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05		SAME			AS			FLEET		WEATHER			
06													
07													
08													
09		CENTRAL			PEARL			HARBOR					
10													
11													
12		HAWAII											
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
90

REMARKS

00-04. Moored starboard side to Sierra Eighteen (CS-18) U.S. Naval Submarine Base Pearl Harbor, Hawaii, with four (4) standard mooring lines doubled up. Receiving all services from pier, except fire and flusing water. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. COMSOPAC is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey CWO USN.

04-08. Moored as before. 0750 Mustered the crew at Quarters for muster and inspection, absentees none.

J.E. Hoffey CWO USN.

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J.M. Willis Jr. LTJG U.S.N.R NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 6 (Date) FEBRUARY (Month) 19 61

08-12 Moored as before. 0920 Made daily inspection of magazine temperatures and smakeless Powder samples, conditions normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION _____ DATE TUESDAY (Day) 7 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO KAWAIHAE HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 88

FUEL CONSUMED 0000-2400: 1600

REMARKS

00-04 Moored starboard side to with Sierra Eighteen (S-18) U.S. Naval Submarine Base, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

E.B. Marsh LTJG USNR

04-08 Moored as before. 0745 Held quarters for muster and inspection, absentees none. 0750 Set the special sea and anchor detail. 0758 Underway from Sierra Eighteen (S-18) for Whiskey One (W-1), steering various courses and making various speed changes to conform with safe navigation.

E.B. Marsh LTJG USNR

APPROVED: _____ LT, U.S.N. COMMANDING

EXAMINED: J.M. Wilhoit LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) TUESDAY 7 FEBRUARY, 19 61
(Day) (Date) (Month)

08-12 Underway as before. 0924 Moored starboard side to berth 9 Whiskey five (W-5), NAD West Loch, Pearl Harbor, Hawaii with standard mooring lines. 0935 Secured the special sea and anchor detail. 0945 Made daily inspection of magazines and smokeless powder samples; conditions normal. 0950 Connected main low wire to YCV-17. Commenced loading ammunition. 1015 Completed loading ammunition having received from NAD, Oahu Hawaii sixty nine (59) rounds of 3"/50 caliber AA and VT. 1145 Commenced making preparations for getting underway.

J. J. Lipps, CWO, USN

12-16 Moored as before. 1200 Set the special sea and anchor detail. 1215 LT(jg) J. A. Kingsley 628 366 USNR reported aboard for transportation to Kaneohe Hawaii authority verbal order of NAVSTA Office Pearl Harbor Hawaii. 1220 Completed all preparations for getting underway. 1247 Underway from berth 9 Whiskey five (W-5) Old West Loch Quay with YCV-17 in tow and tug Menoque on port quarter of YCV-17 for Kaneohe Hawaii in accordance with ComSubPac msg. 010248Z. Captain has the command and conn. Navigator on the bridge steering and giving courses and speeds to conform to Pearl Harbor Channel. 1318 Tug Menoque cast off from YCV-17. 1325 Passed buoy #9 abeam to starboard distance approximately 100 yards. 1330 Passed buoy #5 abeam to starboard distance approximately 100 yards. 1345 Passed buoy #1 abeam to starboard distance approximately 75 yards. 1358 Secured the special sea and anchor detail. 1405 Paid out tow out to 1200 feet. 1412 Entered International waters. 1417 C/C to 123° C/S to 11.3 knots (90 RPM's). 1422 COD assumed the conn. 1503 C/C to 174° 166° PSTGC with Diamond Head light bearing 040°, distance approximately 3¼ miles.

J. J. Lipps, CWO, USN

16-20 Underway as before. 1630 C/C to 170°. 1719 C/C to 115°, 104° PSTGC.

J. J. Lipps, CWO, USN.

20-24 Underway as before. 2109 Sighted Cape Kaea light, bearing 078°, distance approximately 18 miles.

J. J. Lipps, CWO, USN.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 8 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO KAWAIHAE, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04	SEE FLEET WEATHER CENTRAL												
05													
06													
07	PEARL HARBOR HAWAII												
08													
09													
10													
11													
12													
13													
14													
15	135	7	10	SCT	2998	80	71	3	3600	CU	80	115	1
16	140	7	10	SCT	2997	80	74	2	3500	CU	80	120	1
17	165	9	10	SCT	2997	80	74	2	3300	CU	80	145	1
18	145	9	10	SCT	2999	80	74	2	3300	CU	80	135	2
19	150	8	10	SCT	2999	79	74	2	3000	CU	80	140	2
20	050	7	10	SCT	2998	76	70	2	2100	CU	81	140	2
21	075	5	10	SCT	3002	76	70	2	2100	CU	81	140	2
22	075	6	10	SCT	3002	75	70	2	1850	CU	80	140	2
23	070	7	10	SCT	3002	75	70	2	1850	CU	80	140	2
24	070	7	10	SCT	3002	74	70	2	1850	CU	80	140	2

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 63

FUEL CONSUMED 0000-2400: 410

REMARKS

00-04 Steaming independently towing YCV17 with 1200 fee of main tow wire out, enroute from Pearl Harbor, Hawaii to Kawaihae Harbor, in accordance with Commander Sea Frontier Operation Order No. 2-61. 0102 48 Z, on course 115°, speed 11.3 knots (90 RPM's) Number 1 and 4 main Engines on the line. Number 1 auxiliary generator supplying ship service power. Condition of readiness four and Material Condition "Yoke" set. 0002 Sighted Waikahalulu light, bearing 101° distance approximately 20 miles. 0056 C/C to 120°, 110° PSTGC. 0210 Passed Waikahalulu light abeam to port, distance approximately 3½ miles. 0304 Sighted Molokini light bearing 018°, distance approximately 15 miles. 0338 C/C to 115°, 085° PSTGC.

J. G. Lupp, Lcdr, USN

04-08 Underway as before. 0515 Sighted Lolani Tower bearing 085°, distance approximately 25 miles. 0547 Sighted ASW Beacon, bearing 078°, distance approximately 9½ miles. 0658 C/C to 96°, 099° PSTGC. 0754 C/S to 80 knots (100 RPM's).

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J. M. Willis Jr LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) WEDNESDAY (Day) 8 (Date) FEBRUARY (Month), 19 61

04-08 (CONT) 0755 lowered boat into 400 feet.

J. L. Gupp, CWO, USN.

08-12 Underway as before. 0805 set special sea and anchor detail. 0807 c/c 120 0808 c/s 50 RPM (6.7 kts) 0818 c/s 40 RPM (5.6 kts) 0819 c/s 30 RPM (3.8 kts) 0820 c/s 20 RPM (2.4 kts) Maneuvering various courses and speeds to participate YCV 17 alongside to port. 0841 YCV 17 alongside to port. Steering various courses and speeds to conform to the channel of KAWAIHAE harbor. 0916 passed buoy number 2 abeam to starboard approximately 50 yards. 0920 passed buoy number 4 abeam to starboard approximately 50 yards 0925 passed buoy 8 to starboard approximately 100 yards. 0929 Moored YCV 17 port side to pier at KAWAIHAE Hawaii with ABNAKI moored alongside to port of YCV 17. 0944 secured special sea and anchor detail. 1014 made daily inspection of magazine temperatures and smokeless powder samples. conditions normal.

J. M. Willis Jr LTJG USNR

12-16 Moored as before

J. M. Willis Jr LTJG USNR

16-20 Moored as before.

J. M. Willis Jr LTJG USNR

20-24 Moored as before.

J. M. Willis Jr LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J. M. Willis Jr LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 9 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM KAWAIHAE HAWAII TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
102

FUEL CONSUMED 0000-2400
1575

REMARKS

00-04 Moored portside to YCV 17 with standard mooring line in use. YCV 17 moored to pier KAWAIHAE Hawaii with four standard mooring lines doubled plus one spring lay mooring line. Recieving no services from the pier. Ships present include civilian fishing boats and pleasure craft. SOPA is CO USS ABNAKI (ATF-96)

D. M. Willis Jr LTJG USNR

04-08 Moored as before. 0750 held quarters for muster and inspection, absentees none.

D. M. Willis Jr LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 9 (Date) FEBRUARY (Month) 19 61

08-12 Moored as before. 0800 Commenced preparations for getting underway. Set condition "Yoke". 0847 Stationed the special sea detail. Made daily inspection of magazine temperature and smokeless power samples. Condition normal. 0900 Completed all preparations for getting underway. 0904 Underway from Kawaikiki, Hawaii to Pearl Harbor Oahu which YCV-17 Alongside to port. in accordance with CinCPac msg 010248Z. Maneuvering to clear the pier. Captain (Canning) Navigator on the bridge. Steering various Courses at various speed standing out of Kawaikiki Harbor. 0926 Passed buoy 5 to Starboard 100yd 0930 passed buoy 3 to Starboard 100 yds. 0933 passed buoy 1 Starboard 100 yards 0941 Commenced Streaming tow to YCV 17. 1004 secured special sea detail, set the regular steaming watch, entered international waters. 1018 11/19 75 RPM 1020 Main tow wire payed out to 1200 feet dog on main tow drum. 1044 C/C 293. 1140 C/C 295°

J E Hoffey CWO USN.

12-16 Underway as before. 1300 The Commanding Officer held mast and imposed non-judicial punishment as follows: DAVIS, HENRY. (N). 483-57-38 SM3 USN, Offense Violation of ART 86, UCMJ unauthorized absence from 0745.5 7 February 1961 to 1200.5 7 February 1961. Punishment: Restriction to the limits of the ship for fourteen (14) days commencing 9 February 1961.

J E Hoffey CWO USN.

16-20 Underway as before. 1656 C/C 301°. 1809 C/C 296° 1829 Sighted Ndikahalulu Light bearing 335 distance about 5 miles. 1915 Passed Waikahalulu Light Abeam to starboard. 036°, distance 3 miles.

J E Hoffey CWO USN.

20-24 Underway as before. 2044 Sighted Cape Kalu Light 334° distance 15 miles. 2206 Sighted Kaumalapau Light bearing 010° distance 10.5 miles.

J E Hoffey CWO USN.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 10 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
54

FUEL CONSUMED 0000-2400
200

REMARKS

00-04. Steaming independently towing YCV 17 with 1200 feet of main tow wire out, enroute from Kawaihae, Hawaii to Pearl Harbor, T Han in accordance with Com 14th Pac msg 010248Z on Course 295° speed 9.5 Knots (75 R.P.M.) number 2 and 3 main generators in the propulsion loop. H I S/S generator supplying ship service power. Material Condition Yoke set. 0310 sighted Makapu light bearing 000° distance 26 miles

J E Hoffey CWO U.S.N.

04-08. Underway as before. 0430 C/C 354°. 0617 C/C 000°, 0615 C/C 005°. 0704 C/S 10.8 knots 85 R.P.M. 0733 C/S 00 11.3 knots 90 R.P.M. 0741 H/S Put #1 and #4 main generators in its propulsion loop H/T 11.3 knots 90 RPM. 0755 Mustered the Crew on station, absentees; none.

J E Hoffey CWO U.S.N.

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: T M Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 10 (Date) FEBRUARY (Month) 19 61

08-12 Underway as before, 0820 Set the special sea, anchor and turning detail. 0824 Commenced heaving in taw wire. 0830 Q/C to 330°T. 0835 Q/S to all stop, Young Brothers Tug made up alongside YCV-17. 0849 Tow disconnected, Young Brothers Tug proceeding to Honolulu Harbor with YCV-17. 0850 Q/C to 270°T, Q/S to all ahead Standard, 9.7 knots, 75 RPM. 0926 Q/C to 333°T. 0947 Steering variation current and making variation speed changes to conform with safe navigation and to make berth. 0959 Moored starboard side to berth Alfa Six(6) U.S. Naval Station, Pearl Harbor Hawaii with four(4) Standard mooring lines doubled up. 1015 Secured the special sea and anchor detail. 1020 USCGS Buttonwood (WAGL-306) moored alongside to port. 1036 Made daily inspection of magazine temperatures and smokeless powder samples, condition normal; made weekly magazine sprinkling system test, test satisfactory.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: T.M. Willis JR LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 11 FEBRUARY, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE FLEET WEATHER CENTRAL												
06													
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
180

REMARKS

00-04 Moored starboard side to berth alfa Six (A-6) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up; USCGS Buttonwood (WAGL-306) moored alongside to port. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

E.B. Masch LTJG USNR

04-08 Moored as before. 0750 Mustered the duty section on station, absentees none.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) SATURDAY (Day) 11 (Date) FEBRUARY (Month) 19 61

08-12 Moored as before. 0820 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. J. Stipp, CWO, USN

12-16 Moored as before.

J. J. Stipp, CWO, USN

16-20 Moored as before.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J. M. Willis Jr. LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 12 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
150

REMARKS

00-04 Moored starboard side to berth Alpha six (A-6) U.S. Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled up, USCGS Buttonwood (WAGL 306) moored to port side. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet yard and district craft. CINCPAC is Commander in Chief U.S. Pacific Fleet.

/s/ J. Duffy, CWO, USN

04-08 Moored as before. 0750 Mustered the duty section on stations; all present; none.

/s/ J. Duffy, CWO, USN

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 12 (Date) FEBRUARY (Month) 19 61

08-12 Moored as before 0842 made daily inspection of magazine temperatures and smokeless powder samples, conditions normal.

J.M. Willis Jr LTJG USNR

12-16 Moored as before.

J.M. Willis Jr LTJG USNR

16-20 Moored as before. 1815 mustered the duty fire party.

J.M. Willis Jr LTJG USNR

20-24 Moored as before.

J.M. Willis Jr LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J.M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 13 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10													
11	PEARL HARBOR HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 150

REMARKS

00-04 Moored Starboard side to berth Alfa Six (A-6) U.S. Naval Station Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. USCGS Buttonwood (WAGL-306) moored alongside to port. Receiving miscellanious services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and distint craft. SOPA is CINCPACFLT.

D.M. Willis Jr LTJG USNR

04-08 Moored as before. 0750 held quarters for muster and inspection, absentees none.

D.M. Willis Jr LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 13 (Date) FEBRUARY (Month), 19 61

08-12 Moored as before. 0800 In accordance with message 132250Z U.S.S. Abnaki (ATF-96) Assumed Ready duty. 0801 U.S.C.G.S Buttonwood (WAGL-306) got underway. 0825 Made daily inspection of magazine temperature and smokeless powder samples, Condition normal. 1003 U.S.S Dropple (ARS-7) Came alongside to port.

J.E. Hoffey Cwo U.S.N.

12-16. Moored as before. 1243 U.S.S. Dropple (ARS-7) underway from alongside, port.

J.E. Hoffey Cwo U.S.N.

16-20. Moored as before.

J.E. Hoffey Cwo U.S.N.

20-24. Moored as before.

J.E. Hoffey Cwo U.S.N.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: T. M. Willis LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 14 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05	SEE FLEET WEATHER CENTRAL												
06													
07													
08													
09	PEARL HARBOR HAWAII												
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 66

FUEL CONSUMED 0000-2400: 780

REMARKS

00-04. Moored starboard side to berth Alfa Six (A-6) U.S. Naval Station, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Target sled moored to Port Quarter. #3 5/5 generator supplying electrical power. Phone service from pier. Ships present include various units of the U.S. Pacific Fleet plus Coast Guard and district craft. SOPA is Commander-in Chief U.S. Pacific Fleet.

J.E. Hoffey Cwo USN.

04-08. Moored as before. 0501 Draft Fwd 14'1" aft 16'8" 0635 Held Quarters for muster and inspection, Absentee reports 0645 Set Special Seadetail 0652 Underway from Alfa Six (A-6) for local Oparea, making various courses and speed changes to conform with safe navigation and to clear channel. Captain was the Conn Navigator was on the bridge

J.E. Hoffey Cwo U.S.N.

APPROVED: LT, U.S.N. COMMANDING

EXAMINED: D. McWilliams JR LTJG U.S.N.R NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 14 (Date) FEBRUARY (Month), 19 61

08-12 Underway as before. 0822 c/c to 208°T. 0950 c/c to 240°T. 0952 c/s to all ahead 5 knots (40RPM). 0955 Commenced streaming target to 3600 feet. 1008 c/c to 250°T. 1009 Target streamed to 3600 feet. 1044 Commenced scheduled exercise Z-21-6. 1106 Completed exercise Z-21-6. 1107 c/c to 080°T. 1110 c/s to all ahead standard, 9.5 knots (75 RPM).

E.B. Masch LTJG USNR

12-16 Underway as before. 1215 Commenced scheduled exercise Z-27-6. 1256 Completed exercise Z-27-6. 1325 c/c to 035°T. 1333 Commenced heaving in tow wire to 600 feet. 1349 Good heaving in on tow wire, sled in at 600 feet, on the dog. 1437 Set the special sea and anchor detail, Captain has the conn, Navigator is on the bridge, making various course and speed changes to conform with safe navigation and to make berth. 1515 Moored port side to berth Alfa Fine (A-5) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. 1521 Secured the special sea and anchor detail.

E.B. Masch LTJG USNR

16-20 Moored as before. 1815 Held fire drill. 1827 Secured from fire drill.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 15 FEBRUARY 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
61

FUEL CONSUMED 0000-2400
650

REMARKS

00-04 Moored port side to (with Alfa Five (A-5) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

E.B. Masch LTJG USNR

04-08 Moored as before. 0530 Held quarters for muster and inspection, absentee none. 0545 Set special sea and anchor detail, Captain has the conn, Navigator is on the bridge. 0611 Underway from Alfa Five (A-5) for local operations, making various course and speed changes to conform with safe navigation and to clear the channel. 0652 ON course 210°T, all ahead full 12.3 knots (100 RPM). 0700 Secured the special sea and anchor detail.

E.B. Masch LT JG USNR

APPROVED: LT, U.S.N. COMMANDING

EXAMINED: J.M. Willis LTJG U.S.N.R NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 15 FEBRUARY 61
(Day) (Date) (Month)

08-12 Underway as before. 0805 C/S to 11.2 (90 RPM's). 0923 C/C to 215° 201° PSTGC, C/S to 7knots. Paid target out to 3600 feet. 0925 C/C to 230° 217° PSTGC. 0946 USS Manatee commenced exercise F-21-G. 1000 Made daily inspection of magazines and smokeless powder sample; conditions normal. 1006 C/C to 058° 038° PSTGC. 1100 USS Manatee completed exercise F-21-G. 1103 C/C to 350° 337° PSTGC. 1113 C/S to 4knots (30 RPM's). 1155 USCGS Buttonwood (WAGL 306) commenced exercise F-27-G.

J. J. Stipp, CWO, USN

12-16 Underway as before. 1201 USCGS Buttonwood (WAGL 306) completed exercise F-27-G. 1206 C/C to 031° 017° PSTGC, C/S to 5knots (38 RPM's). 1215 Secured target in to 600 feet. 1233 C/S to 10.3knots (85 RPM's). 1345 C/C to 037° 019° PSTGC. 1416 C/C to 040° 022° PSTGC. 1445 Set Special sea and anchor detail. C/C to 045° 027° PSTGC. 1451 C/C to 330° 316° PSTGC. 1454 Entered Inland waters. 1501 C/C to 338° 325° PSTGC. 1508 Passed buoy #2 abeam to starboard, distance approximately 100 yards. Captain has the conn, navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 1510 Target heaved in to 100 feet. 1522 Target butted up astern. 1527 Moored port side to berth Alpha five (A-5), U.S. Naval Station Pearl Harbor Hawaii with standard mooring lines doubled up. 1536 Secured the special sea and anchor detail. 1545 Target moored alongside to starboard.

J. J. Stipp, CWO, USN.

16-20 Moored as before.

J. J. Stipp, CWO, USN

20-24 Moored as before.

J. J. Stipp, CWO, USN

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING D. M. Williams LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 16 (Date) FEBRUARY (Month) 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09			PEARL HARBOR HAWAII										
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 84

FUEL CONSUMED 0000-2400: 840

REMARKS

00-04 Moored port side to berth alpha pier (A-5) U.S. Naval Station, Pearl Harbor Hawaii, with four (4) standard mooring lines doubled up. Target sled moored alongside to starboard. Receiving Investigatory services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft. COPA is Commander in Chief, U.S. Pacific Fleet.

J. Gupp, CWO USN

04-08 Moored as before. 0600 Commenced making all preparations for getting underway. Set material Condition Yoke. 0635 Mustered the crew at quarters for muster and inspection: absentees: none. 0645 Set the special sea and anchor detail. 0650 Completed all preparations for getting underway. Draft, forward 13'6" aft 16'6". 0710 Underway for area Hotel two (H-2) in accordance with ComFltAirWing Two Order 7-61. Captain has the conn, navigator on

APPROVED: LT U.S.N. COMMANDING

EXAMINED: T. M. Willis Jr LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) THURSDAY 16 FEBRUARY 19 61
(Day) (Date) (Month)

04-08 (CONT.) the bridge. Steering various courses and speeds to conform with Pearl Harbor Channel. 0721 Passed buoy #7 abeam to starboard, distance approximately 60 yards. 0729 Passed buoy #1 abeam to starboard, distance approximately 75 yards. 0740 secured the special sea and anchor detail. 0745 entered inland waters. 0748 c/c to 207°, 195° PSTGC. 0751 Target steamed to 600 feet.

J. F. Klupke CWO, USN.

08-12 Underway as before. 1011 c/c 230°T c/s 40 RPM (5.5 kts) commenced playing out wire to the sled. 1024 3600 feet of wire to the sled and on the dog. 1048 commenced scheduled exercise Z-21-G with USS Tahelua (ATF-113). 1054 cease fire secured from exercise Z-21-G. 1100 made daily inspection of magazine temperatures and smokeless powder samples, conditions normal. 1106 commenced scheduled exercise Z-21-G with USS Tahelua (ATF-113) 1110 ceased fire, secured from scheduled exercise Z-27-G. 1112 c/c 000°T c/s 75 RPM (9.5 kts) 1119 c/s 40 RPM (5.2 kts)

D. M. Willis Jr LTJG USNR

12-16 Underway as before. 1200 c/c 090°T 1300 c/c 035°T 1302 commenced heaving in tow wire 1315 800 feet of wire to tow and on the dog. 1318 c/s 60 RPM (7.7 kts) 1319 c/s 70 RPM (8.6 kts) 1321 c/s 80 RPM (10.3 kts) 1324 c/s 90 RPM (11.3 kts) 1327 c/s 95 RPM (12.0 kts) 1331 c/s 100 RPM (12.3 kts) 15 20 c/c 037°T 1531 set special sea and anchor detail 1553 c/s 75 RPM (9.5 kts) 1555 c/c 333°T 1536 commenced heaving tow in to 100 feet of wire. c/c 339 1538 entered inland waters

D. M. Willis Jr LTJG USNR

16-20 Underway as before. 1601 c/c 345°T 1608 c/s 90 RPM (11.3 kts) 1610 c/c 336°T Passed buoy 2 to starboard approximately 75 yards. Maneuvering various courses and speeds to conform to Pearl Harbor channel and to make berth. 1621 smoked target sled to stern 1629 moored port side to berth Alfa Five (A-5) U.S. Naval Station Pearl Harbor Hawaii with four standard mooring lines doubled up. 1638 secured special sea and anchor detail. 1845 mustered the duty fire party.

D. M. Willis Jr. LTJG USNR

20-24 Moored as before.

D. M. Willis Jr LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 17 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10													
11	PEARL HARBOR HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													
*													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 72

FUEL CONSUMED 0000-2400: 900

REMARKS

00-04 Moored port side to berth Alfa Five (A-5) U.S. Naval Station Pearl Harbor Hawaii with four standard mooring lines in use doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT.

J.M. Willis Jr LTJG USNR

04-08 Moored as before. 0750 held quarters for muster and inspection, absentees none

J.M. Willis Jr LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J M Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 17 (Date) FEBRUARY (Month) 19 61

08-12. Moored as before. 0823 Made daily inspection of magazine temperature and smokeless powder samples. Condition normal. 0825 Set material Condition "Yoke". 0847 Stationed the special sea detail 0855 Completed all preparations for getting underway. Draft forward 13' 10", Aft 14' 2". 0901 Underway from Alpha pier (F-5) U.S. Naval Station Pearl Harbor, Hawaii for Op Area Baker Two (C-2). Maneuvering to clear the pier. Captain Canning, navigator on the bridge. Steering various courses at various speeds standing out of Pearl Harbor. 0926 Moored to 7 Kts. Commenced streaming target. 0927 Secured Special Sea and Anchor detail 0941 Entered International waters. 0945 C/C 122° 1021 C/C 173°. 1125 C/S 100 R.P.M. 12.3 Kts.

J.E. Hoffey Cwo U.S.N.

12-16. Underway as before. 1230 C/C 165°. 1241 C/C 101° entered Op area (C-2). 1335 C/C 270°. 1350 C/C to 6 Kts. 1412 C/C 090° 1415 C/C 110°. 1426 Commenced exercise Z-27-C with U.S.S. Mantle AM-58. 1503 P/P 60 RPM. 1506 C/C 290°. 1513 P/P 60 RPM 1514 P/P 38 RPM. 1523 Commenced firing for exercise Z-27-C. 1528 Completed exercise Z-27-C Commenced steering tow course to 600 ft. 1539 C/C 330° 1541 C/C 348°. 1544 P/P 60 RPM. 1552 P/P 90 RPM 11.3 Kts. 1554 P/P 100 R.P.M. 12.3 kts.

J.E. Hoffey Cwo U.S.N.

16-20. Underway as before. 1629 C/C 355°. 1729 C/C 358°. 1746 C/C 352°. 1814 Commenced making preparations for entering port 1820 Stationed Special sea detail. Captain Canning navigator on the bridge. 1835 Entered inland waters. Commenced steering various courses at various speeds conforming to Pearl Harbor Channel. 1852 Commenced heaving tow to short scope. 1855 P/L Came alongside of tow. 1858 Broke tow. Maneuvering to come alongside of Sierra seventeen (S-17) U.S.S. Submarine Base Pearl Harbor, Hawaii Port side to berth. 1940 Secured special sea detail, set the in Port watch.

J.E. Hoffey Cwo U.S.N.

20-24. Moored as before.

J.E. Hoffey Cwo U.S.N.

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 18 FEBRUARY (Day) (Date) (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
100

REMARKS

00-04. Moored port side to berth Sierra Seventeen (S-17) U.S. Naval Submarine Base, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving all service from pier, except fire main pressure. Ship present includes various units of the U.S. Pacific Fleet plus yard and district craft. S.O.P.A. is Commander Cruiser Division Seven U.S. Pacific Fleet

J.E. Hoffey CWO USN.

04-08. Moored as before. 0750 Manned the duty section on station; operations normal.

J.E. Hoffey CWO U.S.N.

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J.M. Willis Jr LTJG U.S.N.R NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 18 (Date) FEBRUARY (Month), 19 61

08-12 Moored as before. 0920 Made daily inspection of magazine temperature and smokeless powder samples, condition normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before. 1815 Held fire drill. 1832 Secured from fire drill.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: J.M. Wallis Jr LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 19 (Date) FEBRUARY (Month), 19 61

AT/~~PASSAGE~~ FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE FLEET WEATHER CENTRAL											
07													
08													
09													
10		PEARL HARBOR HAWAII											
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
50

REMARKS

00-04 Moored port side to berth Sierra Seventeen (S-17) U.S. Naval Submarine Base, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

E.B. Masch LTJG USNR

04-08 Moored as before. 0750 Mustered the duty section on station, absentees none.

E.B. Masch LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J.M. Williams LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) SUNDAY 19 FEBRUARY 19 61
(Day) (Date) (Month)

08-12 Moored as before. 1030 Made daily inspection of magazines and smokeless powder samples; conditions; normal.

J. J. Stupp, CWO, USN

12-16 Moored as before.

J. J. Stupp, CWO, USN

16-20 Moored as before.

J. J. Stupp, CWO, USN.

20-24 Moored as before.

J. J. Stupp, CWO, USN.

APPROVED:

[signature] LT U.S.N. COMMANDING

EXAMINED:

D. M. Willis Jr LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 20 (Date) FEBRUARY (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
100

REMARKS

00-04 Moored port side to berth Sierra seventeen (S-17) U.S. Submarine Base Pearl Harbor, Hawaii with four (4) stand and mooring lines. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet yard and district craft. COMSOPAC is Commander in Chief, U.S. Pacific Fleet.

J. J. Tupper, CWO, USN

04-08 Moored as before. 0750 Mustered the crew at quarters for muster and inspection; absentees: none

J. J. Tupper, CWO, USN

APPROVED: [signature] LTJG U.S.N. COMMANDING

EXAMINED: J. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 20 (Date) FEBRUARY (Month), 19 61

08-12 Moored as before. 0905 made daily inspection of magazine temperatures and smokeless powder samples, conditions Normal.

J.M. Willis Jr LTJG USNR

12-16 Moored as before.

J.M. Willis Jr LTJG USNR

16-20 Moored as before.

J.M. Willis Jr LTJG USNR

20-24 Moored as before.

J.M. Willis Jr LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: J.M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 21 (Date) FEBRUARY (Month), 19 61

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10													
11	PEARL HARBOR HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
50

REMARKS

00-04 Moored port side to berth Sierra seventeen (S-17) US Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines in use doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the US Pacific Fleet plus yard and district craft. SOPA is CINCPACFLT

D. M. Willis Jr LTJG USNR

04-08 Moored as before. 0750 held quarters for muster and inspection, absentees none.

D. M. Willis Jr LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 21 (Date) FEBRUARY (Month) 61

08-12. Moored as before 0830 Made daily inspection of magazine temperature and smoke and sample Conditions normal.

J.E. Hoffey Cwo U.S.N.

12-16. Moored as before.

J.E. Hoffey Cwo U.S.N.

16-20 Moored as before

J.E. Hoffey Cwo U.S.N.

20-21. Moored as before.

J.E. Hoffey Cwo U.S.N.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D.M. Willis LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 22 FEBRUARY, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 6

REMARKS

00-04. Moored port side to berth Sierra Seventeen (S-17) U.S. Naval Submarine Base Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving all service from pier Hawaii fire main pressure. Modified gate sit. Ships present include various units of the U.S. Pacific Fleet plus yard and district Craft. S.O.P.A. is Commander Air Chief U.S. Pacific Fleet.

J.C. Duffey Carp U.S.N.

04-08. Moored as before. 0750 Mustered for duty section on station. Absentees none.

J.C. Duffey Carp U.S.N.

APPROVED: LT U.S.N. COMMANDING

EXAMINED: D. M. Wilhoit LTJG U.S.N.R. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 22 (Date) FEBRUARY (Month) 19 61

08-12 Moored as before. 1020 Made daily inspection of magazine temperatures and smokeless powder samples, conditions normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: D.M. Willis JR LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 23 (Date) FEBRUARY (Month), 19 61

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07	SEE FLEET WEATHER CENTRAL												
08													
09													
10													
11	PEARL HARBOR HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 86

FUEL CONSUMED 0000-2400: 950

REMARKS

00-04 Moored port side to berth Sierra Seventeen (S-17) U.S. Naval Submarine Base, Pearl Harbor Hawaii, with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and distrct craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

E.B. Masch LTJG USNR

04-08 Moored as before. 0745 Held quarters for muster and inspection, absentees none.

E.B. Masch LTJG USNR

APPROVED: [signature] LT. U.S.N. COMMANDING

EXAMINED: T.M. Willis Jr LTJG U.S.N.R NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 23 (Date) FEBRUARY (Month) 19 61

08-12 Moored as before. 0815 Set the special sea and anchor detail. 0825 Completed all preparations for getting underway. Left forward 13'8" aft 14'0". 0833 Underway from berth 29B2 eighteen U.S. Navy Submarine Base Pearl Harbor Hawaii for U.S. Army Pier 39 Honolulu Hawaii, Captain has the conn, Navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 0915 Passed buoy #4 abeam to port distance approximately 100 yards. 0918 Passed buoy #2 abeam to port distance approximately 75 yards. 0927 Entered Inter-Island waters. 0929 C/C to 090°. 0940 Entered Inland waters. 0942 C/C to 026°. 0949 Passed buoy #2 abeam to starboard distance approximately 50 yards. Steering various courses and speeds to conform to Honolulu Channel. 0953 Passed buoy #6 abeam to starboard distance approximately 75 yards. 1020 Moored starboard side to Pier 39 U.S. Army Piers, Honolulu, Hawaii, with four (4) standard mooring lines. 1040 Secured the special sea and anchor detail. 1100 Made daily inspection of magazines and smokeless powder samples conditions normal. 1115 Connected fuel hose to YCV 17. 1119 Set the special sea and anchor detail. 1137 Underway from pier 39 U.S. Army piers for Kaneohe Hawaii with YCV 17 in tow in accordance with Comservpac msg 180411Z. Captain has the conn navigator on the bridge. Steering various courses and speeds to conform to Honolulu Channel.

J. J. Supp, CWO, USN

12-16 Underway as before. 1205 Passed buoy #5 abeam to starboard distance approximately 75 yards. 1207 Passed buoy 5 abeam to starboard distance approximately 75 yards. 1210 Passed buoy #2 abeam to port distance approximately 100 yards. 1215 Secured the special sea and anchor detail. 1218 Payed fore out to 1000 feet. C/C to 173°. 1226 Entered International waters. 1230 C/S to 11.3 knots (90 RPM's). 1500 C/C to 115° 103° PSTGC.

J. J. Supp, CWO, USN

16-20 Underway as before. 1658 C/C to 110° 097° PSTGC. 1827 C/C to 108° 095° PSTGC. 1950 C/C to 115° 103° PSTGC.

J. J. Supp, CWO, USN

20-24 Underway as before. 2110 Sighted Cape Kuea light bearing 070° distance approximately 15.5 miles. 2129 Sighted Kaumalapau light bearing 055° distance approximately 13 miles. 2144 C/C to 120° 109° PSTGC. 2216 Passed Kaumalapau light abeam to port, distance approximately 11.5 miles. 2238 Passed Cape Kaea light abeam to port distance approximately 9.5 miles. 2321 Sighted Waikakalulu light bearing 044°, distance approximately 18.5 miles. 2325 C/C to 115°, 103° PSTGC.

J. J. Supp, CWO, USN.

APPROVED: J. [illegible] CT, U.S.N. COMMANDING

EXAMINED: J. M. Willis Jr. LCDR U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE FRIDAY 24 FEBRUARY (Day) (Date) (Month), 1961

~~AT~~/PASSAGE FROM PEARL HARBOR, HAWAII TO KAWAIHAE, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06		SEE FLEET WEATHER CENTRAL											
07													
08													
09													
10		PEARL HARBOR HAWAII											
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 134

FUEL CONSUMED 0000-2400: 1800

REMARKS

00-04 Steaming independently with YC V17 with 1000/SET of tow wire out. Enroute from Pearl Harbor, Hawaii to Kawaihae, Hawaii in accordance with CominCh msg 180411Z. On course 115°, speed 11.3 knts (90 RPM's) with 1 and 4 main engines on the line, number 2 and 3 generators on for Ships power. Condition of readiness IV and material condition "Yoke" set. 0226 P/C to 1090 096° PSTG&L.

J. J. Tupp, CWO, USN

04-08 Underway as before.

J. J. Tupp, CWO, USN

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: D. M. Wilkins Jr LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 24 (Date) FEBRUARY (Month), 1961

08-12 Underway as before. 0800 mustered the crew on stations, absentees none 0809 c/c 116° 0845 made daily inspetion of magazine temperatures and smokeless powder samples, conditions normal. Made weekly test of magazine ~~temperatures and smokeless powder~~ of sprinkling system, test satisfatory. 0943 c/s 90 RPM (11.3kts) 0946 c/s 100 RPM (12.3kts) 1030 set special sea, anchor and towing detail. 1031 c/s 90 RPM (11.3kts) 1034 c/s 80 RPM (10.1kts) 1035 c/s 60 RPM (7.3) 1036 c/s 50 RPM 1038 commenced heaving on tow. 1040 maneuvering various courses and speeds to bring YCV 17 alongside to port. 1057 YCV 17 alongside to port 1058 maneuvering various courses and speeds to conform with the entrance channel to KAWAIHAE 1142 passed buoy 2 abeam to starboard 25 yards 1146 passed buoy 4 abeam to starboard 25 yards 1148 maneuvering various courses and speeds to make the pier at KAWAIHAE Hawaii. 1159 moored YCV 17 port side to main pier KAWAIHAE HAWAII with 4 standard mooring lines doubled up. Abnaki moored starboard side of YCV 17 with standard mooring lines

J. M. Willis Jr LTJG USNR

12-16 Moored as before. 1220 secured special sea and anchor detail.

J. M. Willis Jr LTJG USNR

16-20 Moored as before. 1700 set special sea and anchor detail. Draft 13'6" fwd 16' 3" aft. Condition "Yoke" set. 0723 underway from main pier KAWAIHAE Hawaii with YCV 17 alongside to port. Maneuvering various courses and speeds to clear pier and harbor 1751 passed buoy 3 to starboard 30 yards 1752 c/c 301 1753 c/c 303 1756 c/c 270 passed buoy one abeam to starboard 35 yards. 1808 commenced streaming tow. 1819 1100 feet of 2" main tow cable to the barge and on the log c/s 90 RPM c/c 300°T 1828 secured special sea and anchor detail. 1917 c/c 295°T

J. M. Willis Jr LTJG USNR

20-24 Underway as before. 2233 sighted WAIKAHALULU LT Bearing 310°T distance approximately 15.5 miles 2305 sighted Molokini light bearing 010°T, 15 miles

J. M. Willis Jr LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: J. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 25 FEBRUARY (Day) (Date) (Month), 19 61

AT/PASSAGE FROM KAWAIHAE HAWAII TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

SEE FLEET WEATHER CENTRAL PEARL HARBOR HAWAII

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 76

FUEL CONSUMED 0000-2400: 620

REMARKS

00-04 Steaming indipendently enroute from KAWAIHAE Hawaii to Pearl Harbor Hawaii towing YCV 17 on 1100 feet of main tow wire in accordance with COMSERVPAC msg 180411Z. On course 295°T speed 90RPM (11.3kts). Numbers two and three main generators on propulsion and number one auxiliary providing 5kvps power. Condition of readyness IV set and material condition yoke set. 0000 c/c 305°T with WAIKAHALULU Lt bearing 007°T distance 3.5 miles 0055 sighted Cape Kaoa Lt bearing 334°T distance 14 miles 0200 sighted KAUMALA PAU Lt bearing 003°T distance 10 miles 0230 c/c 313°T 0258 passed KAUMALAPAU Lt abeam to starboard approximately 8.5 miles

D. M. Willis Jr LTJG USNR

04-08 Underway as before. 0631 c/c 306°T 0648 c/s 80RPM (10.1kts) 0746 sighted Diamond Head Lt bearing 311°T distance 13 miles.

D. M. Willis Jr LTJG USNR

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: D. M. Willis Jr LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATORDAY (Day) 25 (Date) FEBRUARY (Month) 19 61

08-12. Underway as briefed 0800 Mustred Crew on station Abentee; mord. 0816 C/C 300° 0851 Made daily inspetion of magazine temperature and smokless Powder samples Condation normal 0858 C/C 316° 0924 Passed diamond Head light abeam to Stbd bearing 045° distance 1½ miles. 0930 Set towing detail 0935 C/S 70 RPM 8.9 Kts 0936 C/S 60 RPM 7.7 kts. 0937 Commenced heaving in on tow wire. 0951 Set sea and anchor detail 0959 C/C 033 T/T 70 RPM 1000 Making various course and speed changes in transfering tow to Young Brother tug 1008 Young Brothers took YCV 17 in tow. Captain Canning Navigator on the bridge. Commenced steering various course and various speeds conforming to Pearl Harbor Channe to moore. Maneuvering to go Alongsit U.S.S. Sawakni (ATF-114) starboard side two at berth Alfa six (17-6) U.S. Naval Station Pearl Harbor, Hawaii 1110 Secured Special sea and anchor detail, set in port watch

J.R. Hoffey CWO U.S.N.

12-16. Moored as briefed.

J.R. Hoffey CWO U.S.N.

16-20 Moored as briefed

J.R. Hoffey CWO U.S.N.

20-24. Moored as briefed

J.R. Hoffey CWO U.S.N.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: J.M. Williams LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 26 FEBRUARY, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
60

REMARKS

00-04. Moored Starboard side to U.S.S. Tawakoni (ATF-114) outboard at berth Alfa six (17-6) U.S. Naval Station, Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving shore service from this pier. Ships present conduct various units of the U.S. Pacific Fleet per Port and District Capt. SOPA is Commander in Chief U.S. Pacific Fleet.

J.C. Hoffey Cwo U.S.N.

04-08. Moored as before. 0750 Mustered the duty section on station, Absentees none.

J.C. Hoffey Cwo U.S.N.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr LTJG U.S.N.R NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 26 (Date) FEBRUARY (Month), 19 61

08-12 Moored as before. 0830 Made daily inspection of magazine temperatures and smokeless powder samples, conditions normal.

E.B. Masch LTJG USNR

12-16 Moored as before.

E.B. Masch LTJG USNR

16-20 Moored as before.

E.B. Masch LTJG USNR

20-24 Moored as before.

E.B. Masch LTJG USNR

APPROVED: LT. U.S.N. COMMANDING

EXAMINED: J.M. Willis Jr. LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 27 (Date) FEBRUARY (Month), 19 61

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10	PEARL HARBOR HAWAII												
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
27

FUEL CONSUMED 0000-2400
320

REMARKS

00-04 Moored starboard side to berth alfa Six(A-6) outboard U.S.S. Tawakoni (ATF-114), U.S. Naval Station Pearl Harbor Hawaii with four(4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet plus yard and district craft. SOPA is Commander in Chief, U.S. Pacific Fleet.

E.B. Masch LTJG USNR

04-08 Moored as before. 0730 Held quarters for muster and inspection absentees none. 0745 Stationed the special sea and anchor detail.

E.B. Masch LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: D.M. Willis Jr LTJG U.S.N.R NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY 27 FEBRUARY 1961
(Day) (Date) (Month)

08-12 Moored as before. 0800 Completed all preparations for getting underway. Draft forward 13'11", aft 16'3". 0805 Underway in accordance with Condition Able Modified. Captain has the conn navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 0821 Secured the special sea and anchor detail. 0829 Entered International waters. 0832 C/C to 220°. 0853 Commenced exercise Z-6-S with U.S.S. Reclaimer (ARS 42). Steering various courses and speeds during exercise. 0900 Made daily inspection of magazines and ammunition powder samples; conditions normal. 1100 Completed exercise Z-6-S. 1105 C/C to 085°. C/S to 6 knots. 1105 OOD assumed the conn.

J. J. Shipp, CWO, USN.

12-16 Underway as before. 1219 Captain assumed the conn. Set the special sea and anchor detail. Commenced exercise Z-5-N. Steering various courses and speeds during exercise 1239 Anchored in thirteen (13) fathoms of water, with sand, shell bottom, with one (1) shackle (60 fathoms) of chain to the starboard anchor in the following bearings KGMB radio tower 045° Royal Hawaiian Hotel 091½° Hotel cupola 113°. Completed exercise Z-N-5. 1236 Underway from anchorage. 1300 OOD assumed the conn. Steering various courses and speeds while compensating magnetic compass. 1459 Completed compensating magnetic compass. C/C 300°, 290° (PSTGS) C/S to 9.5 knots (75 RPM's) 1518 Entered England waters. 1519 Set the special sea and anchor detail. OOD has the conn, Captain and navigator on the bridge. Steering various courses and speeds to conform to Pearl Harbor Channel. 1553 Moored starboard side to berth Alpha six (A-6) U.S. Naval Station, Pearl Harbor, Hawaii with four (4) stand and mooring lines doubled up.

J. J. Shipp, CWO, USN

16-20 Moored as before. 1601 Secured the special sea and anchor detail.

J. J. Shipp, CWO, USN

20-24 Moored as before.

J. J. Shipp, CWO, USN.

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: D. M. Williams U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION T10 DATE TUESDAY 28 FEBRUARY, 19 61
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06	SEE FLEET WEATHER CENTRAL												
07													
08													
09													
10													
11	PEARL HARBOR HAWAII												
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
86

FUEL CONSUMED 0000-2400
415

REMARKS

00-04 Moored starboard side to berth alpha six (A-6) U.S. Naval Station, Pearl Harbor Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous stores from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, yard and district craft. ComPhibPac is Commander in Chief, U.S. Pacific Fleet.

L. J. Gupp, CWO, USN

04-08 Moored as before. 0543 Commenced making all preparations for getting underway. 0605 Mustered the duty out quarters for muster and inspection; absentees: none. 0615 Set the special sea and anchor detail. 0625 Completed all preparations for getting underway. Draft forward 13'10" aft 16'2". 06. 0630 Underway for local operations in accordance with ComFltAirPac Op-Order 9-61. Captain has the conn, navigator on the bridge. Steering various courses

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: I. M. Willis JR LDG U.S.N.R NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) TUESDAY 28 FEBRUARY 1961
(Day) (Date) (Month)

04-08 (CONT) and speeds to conform to Pearl Harbor Channel. 0637 Passed buoy "6" abeam to port distance approximately 75 yards 0645 Secured the special sea and anchor detail. 0652 Entered International waters. 0654 c/c to 123°. 0715 000 assumed the conn. 0723 c/c to 174°, 165 PSTGC. 0736 c/c to 176° 159° PSTGC.

J. F. Gupp, CWO, USN.

08-12 Underway as before. 0943 exercised crew at General Quarters 0945 set condition Zebra. 0946 c/s 5kts c/c 128°T 100T commenced scheduled exercise Z-3-G 1030 completed exercise Z-3-G. 1034 c/c 330°T 1037 set condition Yoke 1039 c/c 325°T 1045 secured from general Quarters. Expended 12 round of 3"50 cal ammunition during exercise Z-3-G. 1049 c/c 270°T 1054 c/c 260°T 1134 c/c 180°T c/s 50 RPM (6.7kts) 1144 c/s 75RPM (9.5kts) c/c 110°T 1146 c/c 130°T 1149 c/c 110°T 1150 exercised crew at general Quarters 1152 set condition Zebra 1204 c/c 090°T c/s 5kts (38RPM) commenced scheduled exercise Z-21-G. 1213 completed exercise Z-21-G 8 rounds of 3"50 cal ammunition expended. 1216 commenced scheduled exercise Z-25-G 1223 completed scheduled exercise Z-25-G 10 rounds 3"50 cal ammunition expended

J. M. Willis Jr LTJG USNR

12-16 Underway as before 1234 c/c 270 1237 commenced scheduled exercise Z-27-G 1242 completed exercise Z-27-G 6 rounds 3"50 cal ammunition expended. set condition Yoke. 1245 c/s 100 RPM (12.3kts) c/c 330°T 1247 secured from general quarters 1248 made daily inpution of magazine temperatures and smokeless powder samples, conditions normal. 1253 c/c 348°T c/s 110 RPM (13.3kts) 1400 c/c 320°T c/s 50 RPM (6.7kts) 1426 c/c 000°T c/s 110 RPM (13.3 kts) 1455 c/c 306°T 1458 c/s 100 RPM (12.3 kts) 1501 c/c 301°T 1515 c/s 50 RPM (6.7kts) 1523 set special sea and anchor detail 1526 c/c 338°T 1537 entered inland waters 1538 c/c 336°T. Maneuvering various courses and speeds to conform to the channel and safe navigation 1554 moored starboard side to berth Alfa Six (A-6) U.S. Naval Station Pearl Harbor Hawaii with four standard mooring lines in use.

J. M. Willis Jr LTJG USNR

16-20 Moored as before 1610 secured special sea and anchor detail. 1830 held fire drill 1845 secured from fire drill

J. M. Willis Jr LTJG USNR

20-24 Moored as before

J. M. Willis Jr LTJG USNR

APPROVED: [signature] LT, U.S.N. COMMANDING

EXAMINED: J. M. Willis Jr LTJG U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR